

## Unit/ Deptt. Wise Deficiency Summary Report (Pending) as on 10.06.2019

Sr. No.	Unit/ Deptt. Name	Total Entries (All Cases)	Pending Cases		Not Entered Details				Next Hearing Date Out dated	Red Category Case	Reply Not Filled	Total Contempt Case	
			As Per Office Records	As Per LITES	Pett./ App.	Non-Pett./ Res.	Lawyer	OIC					Hearing
<b>Administrative Department : Water Resources Department, Jaipur</b>													
1	Additional Chief Engineer WR Zone Jaipur	3567	814	1028	1	1	24	3	31	506	11	5	10
2	Additional Chief Engineer WR Zone Jodhpur	1157	270	257	0	0	1	1	6	198	14	3	8
3	Additional Chief Engineer WR Zone Udaipur	1252	478	471	1	1	1	1	2	224	2	0	4
4	Addl. Chief Eng. Vig. QC. & Regul. Water Reso. Bikaner	12	4	7	0	0	0	0	4	1	0	0	0
5	Chief Engineer NCP, Sanchole, Distt. Jalore	120	57	59	1	1	4	1	5	38	0	0	0
6	Chief Engineer WR Zone Hanumangarh (North)	5670	1782	1715	0	1	3	1	23	657	8	47	14
7	Chief Engineer WR Zone Kota	941	359	331	0	0	3	0	3	113	2	26	3
8	Chief Engineer, WRD Rajasthan Jaipur												
i	CE & DG, IMTI Kota	3	0	1	0	0	0	0	0	0	0	0	0
ii	CE QC&Vigilance Jaipur	11	6	6	0	0	0	0	0	6	0	0	0
iii	CE SWRPD-IDR Jaipur	39	22	21	0	0	0	0	0	13	0	0	0
iv	CE WR, Rajasthan, Jaipur	460	157	167	0	0	2	0	3	77	3	7	3
	<b>Total</b>	<b>13232</b>	<b>3949</b>	<b>4063</b>	<b>3</b>	<b>4</b>	<b>38</b>	<b>7</b>	<b>77</b>	<b>1833</b>	<b>40</b>	<b>88</b>	<b>42</b>